
496

MEYER



this literature (p. 494), Hunter and Schmidt (1994, p. 331)	schach validity (Atkinson, 1986; Atkinson, Quarrington, Alp, &
	,
<u> </u>	
•	i
<u>, </u>	
+ 	
<u>L.,</u>	
) 	
-	
	1
· -	
psychology alone that make use of data derived in one sample	son, & Hunsley, 1988) have indicated two things: (a) the Ror-
in order to generate information that is then applied to other	schach yields valid data, and (b) the Rorschach is as valid as
samples.	other personality assessment methods. The challenge then is to
Propagation of the second seco	11 A L. L. L. J. AA
P	
1	
,	

		•
	Shrout, P.E., Spitzer, R. L., & Fleiss, J. L. (1987). Quantification of	critically about the Comprehensive System for the Rosschach: A realy.
		·
	- - •	
	agreement in psychiatric diagnosis revisited. Archives of General Psy-	to Exner. Psychological Science, 7, 14-17.
	chiatry, 44, 172–177.	Wood, J. M., Nezworski, M. T., & Stejskal, W. J. (1997). The reliability
	District T D (1991) The Land	wood, J. M., Nezworski, M. I., & Stejskal, W. J. (1997). The renability
(A V.)		
- 	•	
<u> </u>		
* ====		
	1, ×	
·		
		· ·
		Í
2		
, -		
-		
4	· ·	
• 1		