

ر آ م 11


Department of Psychology University of Toledo


Department of Psychology University of California, Berkeley














Rorschach Rating Scale Items Used for Interpretation Across Studies












 $\sum_{i=1}^{n} \frac{1}{1} \sum_{i=1}^{n} \sum_{i=1}^{n} \frac{1}{1} \sum_{i=1}^{n}$














 TABLE 8

 Study 2: Interpretive Reliability (*M r*) for One Adequate and Two Inadequate Designs

Variables	Adequate Design Initial Data Set D	Problematic Designs	
		Data Set C-	Data Set D After Clinician Randomly Mixed ^c
$\frac{\mathbf{\hat{q}}}{\mathbf{\hat{q}}} = \frac{\mathbf{\hat{q}} \cdot \mathbf{\hat{q}}}{\mathbf{\hat{q}}} + \frac{\mathbf{\hat{q}} \cdot \mathbf{\hat{q}}}{\mathbf{\hat{q}}} = \frac{\mathbf{\hat{q}} \cdot \mathbf{\hat{q}}} = \frac{\mathbf{\hat{q}} \cdot \hat$		3	• /
	t (- 4	<u>_</u>	,
	-7-		· 7/
	* _	A (/
$\frac{1}{1} = -\frac{1}{3} \frac{1}{3} \frac$	• •	- 7	- (
$\int \mathbf{f} = \mathbf{r} \cdot \mathbf{r} $	÷)	• 1	4,)
	t .	7•	* 7
7	7	7	-7',
	3)	-	- <u>1</u> -7/ -7
$ \begin{array}{cccc} \bullet \bullet^{-} \bullet & & \chi^{*} \\ & & \chi^{*} \\ \bullet & & \chi^{*} \\ & & \chi^{*} \\ \bullet & & \chi^{*} \\ &$	t _		
$A = \frac{1}{2} \sum_{i_1, \dots, i_k} \sum_{i_k} \frac{1}{i_k} \sum_{i_k} \frac{1}{i_k} \sum_{i_k} \sum_{i_k} \frac{1}{i_k} \sum_{i_k} $	• /	I 7	-7 * -•1
$A_{1} = \sum_{i=1}^{n} \sum_{j=1}^{n} \sum_{i=1}^{n} \sum_{i=1}^{n} \sum_{i=1}^{n} \sum_{j=1}^$	- 1	-) /	-) c
$\mathbf{v} = \begin{bmatrix} \mathbf{v} & \mathbf{v} \\ \mathbf{v} & \mathbf{v} \end{bmatrix} \begin{bmatrix} \mathbf{v} & \mathbf{v} \\ \mathbf{v} & \mathbf{v} \end{bmatrix} \begin{bmatrix} \mathbf{v} & \mathbf{v} \\ \mathbf{v} \end{bmatrix} \begin{bmatrix} \mathbf{v} & \mathbf{v} \\ \mathbf{v} \end{bmatrix} \begin{bmatrix} \mathbf{v} \\ \mathbf{v} \end{bmatrix} \end{bmatrix} \begin{bmatrix} \mathbf{v} \\ \mathbf{v} \end{bmatrix} \begin{bmatrix} \mathbf{v} \\ \mathbf{v} \end{bmatrix} \begin{bmatrix} \mathbf{v} \\ \mathbf{v} \end{bmatrix} \end{bmatrix} \begin{bmatrix} \mathbf{v} \\ \mathbf{v} \end{bmatrix} \begin{bmatrix} \mathbf{v} \\ \mathbf{v} \end{bmatrix} \end{bmatrix} \begin{bmatrix} \mathbf{v} \\ \mathbf{v} \end{bmatrix} \begin{bmatrix} \mathbf{v} \\ \mathbf{v} \end{bmatrix} \end{bmatrix} \begin{bmatrix} \mathbf{v} \\ \mathbf{v} \end{bmatrix} \begin{bmatrix} \mathbf{v} \\ \mathbf{v} \end{bmatrix} \begin{bmatrix} \mathbf{v} \\ \mathbf{v} \end{bmatrix} \end{bmatrix} \begin{bmatrix} \mathbf{v} \\ $	-14.	•	•
	× 7	4.)	* 7
	- ₀ t	-)ı	•
	▲_ / /	- 1	-•(4_4_
	()	<u>i</u> l	 4,4,
)	3.)	7
		- 1	7
L- CCCC	Z	× .	, 1 /
	4_4_	- 1	4_
$\mathbf{A}_{\mathcal{A}}_{\mathcal{A}_{\mathcal{A}}_{\mathcal{A}_{\mathcal{A}}_{\mathcal{A}}}}}}}}}}$	11	*)	4. •
$\mathcal{L}_{\mathbf{r}} = \left[$	t)	(*- ا	*/
<u>\</u> =	Э.,	-•1	-,)
	N) 44	- 4./	4_)
	200)	/ •	Ī
Mr_{-1}	7	· ·	1
	7		
- C C I L & C , C , C C	t 4	4.)	4.
	71	<u>۴</u> .	¥)
	-'	* .	* /
	-' ₇)	÷)	* 7
ימי קבן ק" אוויא מביימי קבן אי איגע אל א <u>ר</u>	* 7	**	A
Mr, t, Ajzāra i z r	71	<u>۰</u>	٠ .

the formation of the fo





👬 🤇 , ind9

'+ ' |**` - - `**+ ` | . . .

true ~¶, tt + t 7 ú true score τ 📬 X ΥΠ'

M < 1 + 11 ۲۱ ۲۱ ۲۹۱۶ ۲۱۸

 $\begin{array}{c} \mathbf{\dot{q}} \\ \mathbf{\dot{q}} \\ \mathbf{\dot{q}} \\ \mathbf{\dot{q}} \end{array} \\ \mathbf{\dot{q}} \\ \mathbf{\dot{q}} \end{array} \\ \mathbf{\dot{q}} \\ \mathbf{\dot{q}} \\ \mathbf{\dot{q}} \end{array} \\ \mathbf{\dot{q}} \\ \mathbf{$

~q q1 יע לעיי גער גוג קוש אוג , *1*,

4 1.71 I_{ℓ}

309




The Current Findings Relative to Meta-Analyses of Interrater Reliability in the Psychological and Medical Literature

> n(k-1) = Independent Pairsof Judgments

Reliability r/

$\begin{array}{c} \mathbf{\hat{v}}_{1} \mathbf{\hat{v}}_{1} \mathbf{\hat{v}}_{1} \mathbf{\hat{v}}_{1} \mathbf{\hat{v}}_{1} \mathbf{\hat{v}}_{1} \mathbf{\hat{v}}_{2} \mathbf{\hat{v}}_{1} \mathbf{\hat{v}}_{1} \mathbf{\hat{v}}_{2} \mathbf{\hat{v}}_{1} \mathbf{\hat{v}}_{1}$



- $\int_{\mathbb{R}^{n}} \frac{1}{2} \int_{\mathbb{R}^{n}} \frac{1}{2} \int_{\mathbb{R}$

- analysis and a review of the evidence. (
- analysis and a review of the constraint of the

- I a sessment: Vol. 2. Personality assessment . 1.

- $\begin{bmatrix} \mathbf{\hat{q}} & \mathbf{\hat{q}} & \mathbf{\hat{q}} \\ \mathbf{$

- 1 (+ r -) , I The Personality Assessment Inventory: Professional
- manual. 1+1+1 1+1 1+1 1+1 1+1 1+1 1+1 1+1 1+1 1+1 1

- $\frac{1}{1} + \frac{1}{1} + \frac{1}$

- $\begin{array}{c} \delta 0, \quad 1 \\ \downarrow 1 \\$

- | ••| =
- $= \frac{1}{2} \frac{$