

	•			
	Cognitive Rah	winral Peuchath	I <u>APANU</u>	<u> </u>
			7-	
<u> </u>			_	
•				
•			F-,,-	
R-;-		<u>r</u>		
, '			6	
			•	
<u>.</u>			<u>-</u>	
- =				
			<u> </u>	
			-	
. 1				
	1100			
			•	· · · · · · · · · · · · · · · · · · ·
				. 1 PP

7.0				d ₂₅ ,
· · ·				7
	h			
<u></u>	, ,		£	
			•	
			<i>Y</i> =	
	X			
A Company			8 7	
	V .		t- 	
Free	<u> </u>			
			<u> </u>	
· · · · · · · · · · · · · · · · · · ·			\$	
· · · · · · · · · · · · · · · · · · ·				
·,				
•				
<u> </u>				

The state of the s		
	<u> </u>	
31 <u>-</u>		
		W ==
		3
	<u>was</u>	
ć		
··		2
red		
S		
fig.		
		;
	we .	
		7
ignormal control of the control of t		7
- 		
Z		
	' 40	
· _{ve}		
		-
		<u> </u>
Fr.		
-		
2		
		· · · · · · · · · · · · · · · · · · ·
-		•
		J
		-
		-
		-
		_
		-
		-
		-
		-
		-
		-
		-
		-







nervosa. British Journal of Clinical Psychology, 43 (1), 1-16.

